Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

BUBI LF Haftprimer

1.2 Relevant identified uses of the substance or mixture and uses advised

Relevant identified uses of the substance or mixture:

Uses advised against:

1.3 Details of the supplier of the safety data sheet

ISOCELL GmbH und Co KG Gewerbestraße 9 5202 Neumarkt am Wallersee Tel: +43(0)6216/4108-0 Fax: +43(0)6216/7979 office@isocell.at

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WIC) +1 872 5888271 (WIC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

H319-Causes serious eye irritation. Eye Irrit.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Warning

H319-Causes serious eye irritation.

P280-Wear eye protection.
P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get

EUH208-Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

3.2 Mixtures

OLZ INIXLUIOO	
Poly(oxy-1,2-ethanediyl), .alpha(3-carboxy-1-	
oxosulfopropyl)omega(decyloxy)-, disodium salt	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	***
CAS	68630-97-7
content %	1-<3
Classification according to Regulation (EC) 1272/2008	Eye Dam. 1, H318
(CLP), M-factors	Aquatic Chronic 3, H412

1,2-benzisothiazol-3(2H)-one		
Registration number (REACH)		
Index	613-088-00-6	
EINECS, ELINCS, NLP, REACH-IT List-No.	220-120-9	
CAS	2634-33-5	
content %	0,0036-<0,036	

Classification according to Regulation (EC) 1272/2008	Acute Tox. 2, H330
(CLP), M-factors	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Skin Sens. 1A, H317
	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 1, H410 (M=1)
Specific Concentration Limits and ATE	Skin Sens. 1A, H317: >=0,036 %
	ATE (oral): 450 mg/kg
	ATE (as inhalation, Dusts or mist): 0,21
	mg/l/4h
	ATE (as inhalation, Vapours): 0.5 mg/l/4h

	ATE (as innaiation, vapours): 0,5 mg/l/4n
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-	
one and 2-methyl-2H-isothiazol-3-one (3:1)	
Registration number (REACH)	01-2120764691-48-XXXX
Index	613-167-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	55965-84-9
content %	0,00015-<0,0015
Classification according to Regulation (EC) 1272/2008	EUH071
(CLP), M-factors	Acute Tox. 2, H310
	Acute Tox. 2, H330
	Acute Tox. 3, H301
	Skin Corr. 1C, H314
	Eye Dam. 1, H318
	Skin Sens. 1A, H317
	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=100)
Specific Concentration Limits and ATE	Skin Corr. 1C, H314: >=0,6 %
•	Skin Irrit. 2, H315: >=0,06 %
	Eye Dam. 1, H318: >=0,6 %
	Eye Irrit. 2, H319: >=0,06 %
	Skin Sens. 1A, H317: >=0,0015 %
	ATE (oral): 53 mg/kg
	ATE (dermal): 50 mg/kg
	ATE (as inhalation, Aerosol): 0,17 mg/l/4h
	ATE (as inhalation, Vapours): 0,5 mg/l/4h

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account. The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of

irritation of the skin (flare), consult a doctor.

Eye contact Remove contact lenses

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.
Water jet spray/foam/CO2/dry extinguishe

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

In case of fire the following can dev Oxides of carbon Toxic gases

5.3 Advice for firefightersFor personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.
Avoid dust formation with solid or powder products.
Leave the danger zone if possible, use existing emergency plans if necessary.
No special measures required.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping

6.1.2 For emergency responders
See section 8 for suitable protective equipment and material specifications. 6.2 Environmental precautions

It leakage occurs, dam up.
Resolve leaks if this possible without risk.
Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diato dispose of according to Section 13. ous earth, sawdust) and

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.



Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 29.05.2024 / 0006 Replacing version dated / version: 07.11.2023 / 0005 Valid from: 29.05.2024

PDF print date: 29.05.2024

7.1 Precautions for safe handling

7.1.1 General recommendations

BUBI LF Haftprimer

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable Wash hands before breaks and at end of work.

Wesh individual breaks and a rend of most.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.
Store product closed and only in original packing.
Not to be stored in gangways or stair wells.
Store at room temperature.

Protect from frost.

Suitable container: Stainless steel (alloy steel) Polyolefin

7.3 Specific end use(s)

Primer/adhesion promoter
Observe the instructions for good working practice and the recommendations for risk assessment. Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries, depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1,2-benzisothiazol-3(2H)-one					
Area of application	Exposure route / Environmental compartment	Effect on health	Descri ptor	Valu e	Unit	Note
	Environment - freshwater		PNEC	0,00 403	mg/l	
	Environment - marine		PNEC	0,00 040 3	mg/l	
	Environment - sediment, freshwater		PNEC	0,04 99	mg/kg dw	
	Environment - sediment, marine		PNEC	0,00 499	mg/kg dw	
	Environment - soil		PNEC	3	mg/kg dw	
	Environment - sewage treatment plant		PNEC	1,03	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,00 11	mg/l	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	1,2	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,34 5	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	6,81	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,96 6	mg/kg bw/day	

Reaction mass of 5-c	tion mass of 5-chloro-2-methyl-2H-isoth		nethyl-2H-is	othiazol	-3-one (3:1))
Area of application	Exposure route /	Effect on	Descri	Valu	Unit	Note
	Environmental	health	ptor	e		
	compartment					
	Environment -		PNEC	0,00	mg/l	
	freshwater			339		
	Environment -		PNEC	0,00	mg/l	
	marine			339		
	Environment -		PNEC	0,02	mg/kg	
	sediment, freshwater			7	dw	
	Environment -		PNEC	0,02	mg/kg	
	sediment, marine			7	dw	
	Environment - soil		PNEC	0,01	mg/kg	
					dw	
	Environment -		PNEC	0,23	mg/l	
	sewage treatment					
	plant					
	Environment -		PNEC	0,00	mg/l	
	water, sporadic			339		
	(intermittent) release					
Consumer	Human - oral	Short term,	DNEL	0,11	mg/kg	
		systemic effects			bw/d	
Consumer	Human - inhalation	Long term,	DNEL	0,02	mg/m3	
		local effects				
Consumer	Human - inhalation	Short term,	DNEL	0,04	mg/m3	
		local effects				
Consumer	Human - oral	Long term,	DNEL	0,09	mg/kg	
		systemic effects			bw/d	
Workers /	Human - inhalation	Long term,	DNEL	0,02	mg/m3	
employees		local effects				
Workers /	Human - inhalation	Short term,	DNEL	0,04	mg/m3	
employees		local effects				

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection

should be worn. Applies only if maximum permissible exposure values are listed here

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:
Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374).

Recommended Protective nitrile gloves (EN ISO 374)

Permeation time (penetration time) in minutes:

>= 480
The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions

The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other:

Usual protective working garments

Respiratory protection:

Normally not necessary.

Thermal hazards Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested

before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer

8.2.3 Environmental exposure controls

No information available at pres

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour: Odour: Liquid According to specification

Characte

There is no information available on this parameter.

100 °C

Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limit: Not combustible.

There is no information available on this parameter. There is no information available on this parameter.

Upper explosion limit:

Flash point:

Auto-ignition temperature:
Decomposition temperature:
pH:

There is no information available on this parameter.
5 - 6 (20°C)
500 - 1500 mPas (20°C, Dynamic viscosity) Kinematic viscosity: Solubility: Mixable

Partition coefficient n-octanol/water (log value):

Does not apply to mixtures.

~23 hPa (20°C)
There is no information available on this parameter. Vapour pressure:
Density and/or relative density:
Relative vapour density:

Particle characteristics: Does not apply to liquids.

9.2 Other information

Product is not explosive.

Oxidising liquids: Bulk density: No n a

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability
Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

No decomposition when used as directed

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Possibly more information on health effects, see Section 2.1 (classification).

BUBI LF Haftprimer						
Toxicity / effect	Endpo	Value	Unit	Organis	Test method	Notes
	int			m		
Acute toxicity, by oral						n.d.a.
route:						
Acute toxicity, by						n.d.a.
dermal route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin						n.d.a.
corrosion/irritation:						
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell						n.d.a.
mutagenicity:						
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ						n.d.a.
toxicity - single						
exposure (STOT-SE):						
Specific target organ						n.d.a.
toxicity - repeated						
exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Toxicity / effect	Endpo	Value	Unit	Organis	Test method	Notes
	int			m		
Acute toxicity, by oral	LD50	1193	mg/k	Rat		
route:			l g			
Acute toxicity, by oral	LD50	490	mg/k	Rat		
route:			g			
Acute toxicity, by oral	ATE	450	mg/k			
route:			g -			

B) Page 3 of 5														
Safety data sheet accord	ling to Regu	lation (EC) N	o 1907/200	06, Annex II			12.4. Mobility in soil:							n.d.a.
Revision date / version: 2 Replacing version dated Valid from: 29.05.2024 PDF print date: 29.05.20	/ version: 07		0005				12.5. Results of PBT and vPvB assessment 12.6. Endocrine							n.d.a. Does not
BUBI LF Haftprimer							disrupting properties:							apply to mixtures.
Acute toxicity, by dermal route: Acute toxicity, by	LD50	4115 0,5	mg/k g mg/l/	Rat		Vapours	12.7. Other adverse effects:							No information available
inhalation: Acute toxicity, by	ATE	0,21	4h mg/l/		OECD 403	Dusts or								on other adverse
inhalation:		<u> </u>	4h		(Acute Inhalation Toxicity)	mist								effects on the
Skin corrosion/irritation: Serious eye						Skin Irrit. 2 Eye Dam. 1								environmer t.
damage/irritation: Respiratory or skin		 		Guinea	OECD 406 (Skin	Skin Sens.	1,2-benzisothiazo Toxicity / effect	I-3(2H)-one Endpoin	Tim	Valu	Unit	Organism	Test	Notes
sensitisation: Germ cell				pig	Sensitisation)	1 Negative	12.1. Toxicity to	t LC50	e 96h	e 2,18	mg/l	Oncorhynch	method OECD 203	Hotes
mutagenicity: Reproductive toxicity (Developmental toxicity):	NOAE L	112	mg/k g	Rat		Negative, FemaleOP PTS	fish:	EC50	48h	2,94	mg/l	us mykiss Daphnia	(Fish, Acute Toxicity Test) OECD 202	
Reproductive toxicity (Effects on fertility):	NOAE L	56,6	mg/k g bw/d	Rat		870.3800 Negative, FemaleOP PTS 870.3800	daphnia:	ErC50	245	0.10		magna	(Daphnia sp. Acute Immobilisati on Test)	
Specific target organ toxicity - repeated	NOAE L	150	mg/k g	Rat	OECD 407 (Repeated Dose	Negative	algae:	EICSU	24h	0,10 87	mg/l	Pseudokirch neriella subcapitata		
exposure (STOT-RE), oral:			bw/d		28-Day Oral Toxicity Study in Rodents)	vomiting,	12.1. Toxicity to algae:	ErC10	24h	0,02 68	mg/l	Pseudokirch neriella subcapitata		Not readily
Symptoms.						headaches, gastrointes	Persistence and degradability:							biodegrada ble
						tinal disturbance	12.3. Bioaccumulative	BCF		6,95			OECD 305 (Bioconcentr	5.0
						s, nausea	potential:						ation - Flow- Through	
Reaction mass of 5-chl Toxicity / effect	ero-2-meth Endpo int	yl-2H-isothia Value	Unit	Organis m	-2H-isothiazol-3-one Test method	(3:1) Notes	12.3. Bioaccumulative	Log Pow		0,7			Fish Test) Regulation	
Acute toxicity, by oral route:	LD50	53-64	mg/k g	Rat			potential:						(EC) 440/2008 A.8	
Acute toxicity, by oral route:	ATE	53	mg/k g										(PARTITION COEFFICIE	
Acute toxicity, by dermal route:	ATE	50	mg/k g				12.5. Results of						NT)	No PBT
Acute toxicity, by dermal route: Acute toxicity, by	LD50	0,17-	mg/k g mg/l/	Rat	OECD 402 (Acute Dermal Toxicity) OECD 403	Aerosol	PBT and vPvB assessment Toxicity to	EC50	3h	12,8	mg/l	activated	OECD 209	substance, No vPvB substance
inhalation:		0,33	4h		(Acute Inhalation Toxicity)		bacteria:				Ü	sludge	(Activated Sludge,	
Acute toxicity, by inhalation:	ATE	0,17	mg/l/ 4h			Aerosol							Respiration Inhibition	
Acute toxicity, by inhalation: Skin	ATE	0,5	mg/l/ 4h	Rabbit	OECD 404	Vapours Skin Corr.							Test (Carbon and	
corrosion/irritation:					(Acute Dermal Irritation/Corrosio n)	1C	Toxicity to	EC20	3h	3,3	mg/l	activated	Ammonium Oxidation)) OECD 209	
Serious eye damage/irritation: Respiratory or skin		 		Rabbit Guinea	OECD 406 (Skin	Eye Dam. 1 Skin Sens.	bacteria:					sludge	(Activated Sludge, Respiration	
sensitisation: Germ cell				pig Mouse	Sensitisation) OECD 475	1A Negative							Inhibition Test	
mutagenicity:					(Mammalian Bone Marrow Chromosome Aberration Test)								(Carbon and Ammonium Oxidation))	
Germ cell mutagenicity:				Rat	OECD 486 (Unscheduled	Negative	Reaction mass of							
		I			DNA Synthesis (UDS) Test with		Toxicity / effect	Endpoin t	Tim e	Valu e 0,19	Unit	Organism	Test method	Notes
					Mammalian		12.1. Toxicity to	LC50	96h	0,19	mg/l	Oncorhynch	OECD 203	
					Mammalian Liver Cells In Vivo)	No	fish:			-0,2 2	,	us mykiss	(Fish, Acute Toxicity Test)	
					Liver Cells In	diarrhoea, mucous		NOEC/N OEL	28d	-0,2	mg/l mg/l		(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-	
					Liver Cells In	diarrhoea, mucous membrane irritation, watering	fish: 12.1. Toxicity to fish:	NOEC/N OEL	28d	-0,2 2 0,09 8	mg/l	us mykiss Oncorhynch us mykiss	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early- Life Stage Toxicity Test)	
Aspiration hazard: Symptoms:					Liver Cells In	diarrhoea, mucous membrane irritation,	fish:	NOEC/N		-0,2 2 0,09	,	us mykiss Oncorhynch	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early- Life Stage Toxicity Test) OECD 211 (Daphnia magna	
Symptoms: 11.2. Information (on other	hazards			Liver Cells In	diarrhoea, mucous membrane irritation, watering eyes, eyes,	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia:	NOEC/N OEL NOEC/N OEL	28d 21d	-0,2 2 0,09 8	mg/l	Oncorhynch us mykiss Daphnia magna	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early- Life Stage Toxicity Test) OECD 211 (Daphnia	
Symptoms:	Endpo	hazards Value	Unit	Organis	Liver Cells In	diarrhoea, mucous membrane irritation, watering eyes, eyes,	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia:	NOEC/N OEL NOEC/N OEL	28d 21d	0,09 8 0,00 4	mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early- Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproductio n Test)	
11.2. Information (BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties:			Unit	Organis m	Liver Cells In Vivo)	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures.	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia:	NOEC/N OEL NOEC/N OEL	28d 21d	-0,2 2 0,09 8	mg/l	Us mykiss Oncorhynch Us mykiss Daphnia magna	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early- Life Stage Toxicity Test) OECD 211 (Daphnia Magna Reproductio n Test) OECD 201 (Alga, Growth Inhibition	
11.2. Information (BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties:	Endpo		Unit		Liver Cells In Vivo)	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia:	NOEC/N OEL NOEC/N OEL	28d 21d	0,09 8 0,00 4 0,1- 0,16 0,04	mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproduction Test) OECD 201 (Alga, Growth	
Symptoms: 11.2. Information of BUBI LF Haftprimer	Endpo		Unit		Liver Cells In Vivo)	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant information available on adverse effects on	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae:	NOEC/N OEL NOEC/N OEL EC50 EC50	28d 21d 48h 72h	0,09 8 0,00 4 0,1- 0,16 0,04 8	mg/l mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella subcapitata	(Fish, Acute Toxicity Test) Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproduction Test) OECD 201 (Alga, Growth Inhibition Test)	
11.2. Information (BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties: Other information:	Endpo int	Value		m -	Liver Cells In Vivo) Test method	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant information available on adverse	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae:	NOEC/N OEL NOEC/N OEL EC50 EC50 NOEC/N OEL	28d 21d 48h 72h	0,00 0,00 0,1- 0,16 0,04 8	mg/l mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella subcapitata	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproductio n Test) OECD 201 (Alga, Growth Inhibition Test)	
11.2. Information (BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties: Other information:	Endpo int	Value ON 12: E	Ecologi	m cal infor	Liver Cells In Vivo) Test method mation	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant information available on adverse effects on	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.1. Toxicity to algae:	NOEC/N OEL NOEC/N OEL EC50 EC50 NOEC/N OEL	28d 21d 48h 72h	0,09 8 0,00 4 0,1- 0,16 0,04 8	mg/l mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella subcapitata Pseudokirch neriella subcapitata Skeletonem a costatum activated	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproduction Test) OECD 201 (Alga, Growth Inhibition Test)	Biodegrada
11.2. Information of BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties: Other information: Possibly more information BUBI LF Haftprimer	Endpo int SECTIO	Value ON 12: E	Ecologi ets, see Sec	m cal infor	Liver Cells In Vivo) Test method mation	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant information available on adverse effects on	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.1. Toxicity to algae:	NOEC/N OEL NOEC/N OEL EC50 EC50 NOEC/N OEL	28d 21d 48h 72h	0,00 8 0,00 4 0,1- 0,16 0,04 8	mg/l mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella subcapitata Skeletonem a costatum	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproduction Test) OECD 201 (Alga, Growth Inhibition Test) OECD 301 D (Ready Biodegradab Biodegradab	Biodegrada
11.2. Information (BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties: Other information: Possibly more information BUBI LF Haftprimer Toxicity / effect En t 12.1. Toxicity to	Endpo int SECTION on on environ	Value ON 12: E	Ecologi ets, see Sec	cal infor	Liver Cells In Vivo) Test method mation	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant information available on adverse effects on health.	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.1. Toxicity to algae:	NOEC/N OEL NOEC/N OEL EC50 EC50 NOEC/N OEL	28d 21d 48h 72h	0,00 8 0,00 4 0,1- 0,16 0,04 8	mg/l mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella subcapitata Pseudokirch neriella subcapitata Skeletonem a costatum activated	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproduction Test) OECD 201 (Alga, Growth Inhibition Test) OECD 301 D (Ready Biodegradab	ble
11.2. Information of BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties: Other information: Possibly more information BUBI LF Haftprimer Toxicity / effect En t 12.1. Toxicity to fish:	Endpo int SECTION on on environ	Value ON 12: Emmental effection Value	Ecologi ets, see Sec	cal infor	Test method Test method iffication).	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant information available on adverse effects on health.	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.2. Persistence and degradability:	NOEC/N OEL NOEC/N OEL EC50 EC50 NOEC/N OEL NOEC/N OEL BCF	28d 21d 48h 72h	0,00 0,00 4 0,1- 0,16 0,04 8 0,49	mg/l mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella subcapitata Pseudokirch neriella subcapitata Skeletonem a costatum activated	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproductio n Test) OECD 201 (Alga, Growth Inhibition Test) OECD 301 D (Ready Biodegradab ility - Closed Bottle Test)	calculated value
Symptoms: 11.2. Information of BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties: Other information: Possibly more information BUBI LF Haftprimer Toxicity / effect En t. 1. Toxicity / effect t. 2.1. Toxicity to daphnia: 12.1. Toxicity to 12.1. Toxicity to 12.1. Toxicity to	Endpo int SECTION on on environ	Value ON 12: Emmental effection Value	Ecologi ets, see Sec	cal infor	Test method Test method iffication).	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant information available on adverse effects on health. Notes Notes	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.3. Bioaccumulative Bioaccumulative	NOEC/N OEL NOEC/N OEL EC50 EC50 NOEC/N OEL NOEC/N OEL	28d 21d 48h 72h	0,00 0,00 4 0,1- 0,16 0,04 8 0,00 12 0,49	mg/l mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella subcapitata Pseudokirch neriella subcapitata Skeletonem a costatum activated	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproductio n Test) OECD 201 (Alga, Growth Inhibition Test) OECD 301 OECD 301 OECD 301 OReady Biodegradab ility - Closed Bottle Test)	ble
11.2. Information (BUBI LF Haftprimer Toxicity / effect Endocrine disrupting properties: Other information: Possibly more informatio BUBI LF Haftprimer Toxicity / effect 12.1. Toxicity to fish: 12.1. Toxicity to daphnia:	Endpo int SECTION on on environ	Value ON 12: Emmental effection Value	Ecologi ets, see Sec	cal infor	Test method Test method iffication).	diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened Notes Does not apply to mixtures. No other relevant information available on adverse effects on health. Notes Notes n.d.a. n.d.a.	fish: 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: 12.1. Toxicity to daphnia: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.1. Toxicity to algae: 12.2. Persistence and degradability: 12.3. Bioaccumulative potential: 12.3. 12.3.	NOEC/N OEL NOEC/N OEL EC50 EC50 NOEC/N OEL NOEC/N OEL BCF	28d 21d 48h 72h	-0,2 2 0,09 8 0,00 4 0,1- 0,16 0,04 8 0,00 12 0,49	mg/l mg/l mg/l	us mykiss Oncorhynch us mykiss Daphnia magna Daphnia magna Pseudokirch neriella subcapitata Pseudokirch neriella subcapitata Skeletonem a costatum activated	(Fish, Acute Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity Test) OECD 211 (Daphnia magna Reproduction Test) OECD 201 (Alga, Growth Inhibition Test) OECD 301 D (Ready Biodegradab) Biotegradab Bittle Test)	calculated value

Page 4 of 5
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 29.05.2024 / 0006
Replacing version dated / version: 07.11.2023 / 0005
Valid from: 29.05.2024
PDF print date: 29.05.2024
BUBI LF Haftprimer

12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50	3h	7,92	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.

The waste codes are recommendations based on the scheduled use of this product Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Recommendation:
Sewage disposal shall be discouraged.
Pay attention to local and national official regulations.
E.g. suitable incineration plant.
E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national o Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number Not applicable 14.1. UN number of ID number:
14.2. UN proper shipping name:
Not applicable
14.3. Transport hazard class(es):
14.4. Packing group:
14.5. Environmental hazards: Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Tunnel restriction code: Classification code Transport category Not applicable Transport by sea (IMDG-code)
14.1. UN number or ID number: Not applicable 14.2. UN proper shipping name: 14.2. UN proper snipping name: Not applicable 14.3. Transport hazard class(es): 14.4. Packing group: 14.5. Environmental hazards: Marine Pollutant: Not applicable Not applicable Not applicable EmS: Not applicable Transport by air (IATA) 14.1. UN number or ID numb Not applicable 14.2. UN proper shipping name: Not applicable

Not applicable

14.3. Transport hazard class(es):
14.4. Packing group:
14.5. Environmental hazards:

Not applicable

14.6. Special precautions for user

cified otherwise, general measures for safe transport must be followed 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the

These are indicated in the approval of the active substance.

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

ent is not provided for mixtures

SECTION 16: Other information

Revised sections: These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Irrit. 2, H319	Classification according to calculation
	procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H330 Fatal if inhaled

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction

H301 Toxic if swallowed H302 Harmful if swallowed.

H315 Causes skin irritation. H318 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.

Eye Irrit. — Eye irritation
Eye Dam. — Serious eye damage
Aquatic Chronic — Hazardous to the aquatic environment - chronic

Aquatic Chronic — Hazardous to the aquatic environment - chro Acute Tox. — Acute toxicity - inhalation Acute Tox. — Acute toxicity - oral Skin Irrit. — Skin irritation Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute Acute Tox. — Acute toxicity - dermal Skin Corr. — Skin corrosion

Key literature references and sources

for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended

Safety data sheets for the constituent substances

Salety data sheets in the Consulter's substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU)

2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (=
European Agreement concerning the International Carriage of Dangerous Goods by Road)
Adsorbable organic halogen compounds

approx approximately

Art., Art. no.Article number ASTM ASTM Internati ASTM International (American Society for Testing and Materials)

Acute Toxicity Estimate
Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Res BAM Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health

BAuA and Safety, Germany)

BCF Bioconcentration factor

BSFF

The International Bromine Council
Chemical Abstracts Service
Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification,

labelling and packaging of substances and mixtures)
CMR carcinogenic, mutagenic, reproductive tr

labeling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass

(algae, plants)

European Community

European Chemicals Agency = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

European Economic Community
European Inventory of Existing Commercial Chemical Substances
European List of Notified Chemical Substances EEC EINECS

ELINCS

ΕN Furopean Norms EPA United States Environmental Protection Agency (United States of America)

ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate

(algae, plants)

et cetera etc. European Union Ethylene-vinyl alcohol copolymer Fax number FU

EVAL Fax.

gen. GHS GWP general Globally Harmonized System of Classification and Labelling of Chemicals Global warming potential

Koc Kow IARC IATA Adsorption coefficient of organic carbon in the soil octanol-water partition coefficient International Agency for Research on Cancer International Air Transport Association

IBC (Code) International Bulk Chemical (Code)
IMDG-code International Maritime Code for Dangerous Goods

incl. IUCLID IUPAC LC50 LD50 International Maritime Code for Dangerous Goods including, inclusive International Uniform Chemical Information Database International Union for Pure Applied Chemistry Lethal Concentration to 50 % of a test population Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships

mg/kg body weight mg/kg bw

mg/kg bw/d, mg/kg bw/day mg/kg body weight/day mg/kg dw/day mg/kg dy weight mg/kg dw mg/kg dy weight n.a. not applicable n.a. n.av. not available not checked n.c.

n.d.a no data available NIOSH National Institute for Occupational Safety and Health (USA)

NIOSH National institute for Occupational Salety and reality (USA)
NLP No-longer-Polymer
NOEC, NOEL No Observed Effect Concentration/Level
OECD Organisation for Economic Co-operation and Development org. OSHA organic Occupational Safety and Health Administration (USA)

PBT

persistent, bioaccumulative and toxic
Polyethylene
Predicted No Effect Concentration

PE PNEC

ppm PVC

parts per million Polyvinylchloride

PVC Polyvinylchloride
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No
1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a
CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely
technical identifiers for processing a submission via REACH-IT.
RID Reglement concernant le transport International ferroviaire de marchandises Dangereuses (=
Regulation concerning the International Carriage of Dangerous Goods by Rail)
SVHC Substances of Very High Concern
Tel. Telephone

